

CURRICULUM VITAE

NAME : REVINTHRAJ MOHANRAJ
PHONE NUMBER : +91 8438244492
EMAIL : revinthraj567@gmail.com
JOB TITLE : NDT INSPECTION (paut/tofd)
EXPERIENCE : 6 + years

OBJECTIVE:

Working on challenging assignments with my creative aptitude will yield me the twin benefits of continual professional growth and job satisfaction in a dynamic environment.

Key Skill

- Inspection in high-thickness pressure vessels, Piping, Pipeline columns, In-service, Heat exchangers, Boiler drums for the oil and gas industry and process plants, power plants. As per various construction code and specification like ASME sec-5, ASME sec-1, ASME sec-8 div 1.2, B 31.1 & 3 AWS, D1.1 and client

EXPERIENCE :

IV Job Profile –NDT Engineer (Shutdown project)

Company Name : SIVERT , QATAR
Address : QATAR
Designation : ANDT Inspector
Period : Oct 2024 to Nov 2024

TECHNICAL QUALIFICATION:

- PAUT ,TOFD - WELSCAN
- HYDROFORM,FLEXOFORM – Corrosion mapping

CLIENTS :

- SHELL PEARL GIL - QATAR

III Job Profile –NDT Engineer

Company Name : APPLUS VELOSI LLC
Address : OMAN
Designation : NDT Engineer
Period : Dec 2022 to Sep 2024

TECHNICAL QUALIFICATION:

- PCN LEVEL-II IN PAUT , UT (3.1&3.2)
- TOFD
- HTHA
- AUT
- UT, MPI, DPT

- SRUT (short range ultrasonic testing)

CLIENTS :

- OQ, SOHAR
- OQ SALALAH
- MAFF MUSCAT
- OLNG SUR
- OMIFCO SUR
- CCED
- NOMAC

<u>CLIENT NAME</u>	<u>TECHNICS PERFORMED</u>	<u>TYPE OF JOB</u>	<u>PROBE & MACHINE</u>
OQ, Shalala	PAUT/TOFD/HTHA/ CORR MAPPING	Pressure Vessel PIPING (30 -50 MM THK)	MX2 & MX3 (A32, A17 DMA, DLA , FLEXO FORM)
OQ, Sohar	AUT /PAUT	Tank roof & VESSELS	PROSCAN AUT MACHINE & MX2 (A17 DMA,A12)
MAFF , Muscat	HYDROFORM/HTHA	Piping (10 – 50 mm thk)	MX2&MX3 (A12,REX1 DLA, FA1 HYDROFORM)
OLNG , Sur	PAUT/TOFD	SPHERE TANK (35-50 mm thk)	A2 PROBE & TOFD
OMIFCO , SUR	CORR MAPPING/PIPE LINE WELD	Pressure vessel (60 , 56,30 mm thk)	HYDROFORM & A27,A12,A32
NOMAC ,Salalah	SRUT	STORAGE TANK	80°ANGLE PROBE
CCED , hailat	PAUT & CORR MAPPING	OIL PIPE LINE	A32,A12 PROBE HYDRO FORM

II Job Profile –NDT Engineer

Company Name : TCR ADVANCED Engineering PVT,Ltd
Address : VADODARA , Gujarat
Designation : NDT Engineer
Period : Mar 2019 to Dec 2022

CLIENTS :

- NTPC (FARKKA, RAMAGUNDAM, KORBA, DHADRI)
- HINDUSTAN petroleum Cop. Ltd.
- INDIAN oil
- SRIRAM fertilizer
- YARA fertilizer
- SHELL INDIA
- RASHTRIYA Chemical and fertilizer, Mumbai.
- GUJARAT NARMADA VALLY FERTILIZER
- ATUL fertilizer
- BORL, Bina
- TORRENT POWER GUJARAT, ANJINEYA pvt.ltd
- SIEMENS pvt. ltd, MANJA
- AARTI INDUSTRIES (Dahej, Jhagadia)

- IOCL, Haldia
- MRPL ONGC, Mangalore

JOB RESPONSIBILITIES:

- To carry out routine and on-site NDT inspection like UT and PAUT, TOFD Following ASME standards and other techniques like, Roughness measurement, ferrite measurement and Ultrasonic thickness measurement and several.
- Performing testing according procedure of relative interpretation data and preparing report.

TESTING TYPE:

- PAUT, TOFD, UT, HTHA , TFM , FMC
- AUT
- HIGH Temperature corrosion mapping 150°C (PAUT)
- MPI, DPT, UTG, VACUM TESTING
- HIGH Temperature UTG
- Disbanding testing (ultrasonic testing)
- Holiday testing
- permeability testing, ferrite testing
- PMI test
- Clad thickness
- surface Roughness testing
- OD (ovality testing).

CLIENT APPROVALS:

<u>CLIENT NAME</u>	<u>TECHNIC PERFORMED</u>	<u>TYPE OF JOB</u>
BPCL , Kochi	PAUT/TOFD(scanner tech)	Pressure Vessel (30mm To 110mm)
MRPL, Mangalore	PAUT/TOFD (scanner tech)	Critical Piping
NTPC , Dadri	PAUT(scanner tech)	Critical Piping (15mm To 120mm)
NTPC, Ramagundam	PAUT(scanner tech)	Critical Piping (15mm To 120mm)
NTPC , Korba	PAUT(scanner tech)	Critical Piping (15mm To 120mm)

<u>CLIENT NAME</u>	<u>TECHNIC PERFORMED</u>	<u>JYPE OF JOB</u>
SRF Dahej	PAUT	Pressure Vessel Disbonding Testing
HPCL, MUMBAI	PAUT/TOFD(scannertech)	Pressure Vessel (25mm To70mm)
CGPL MUNDRA	PAUT(scanner tech)	Critical Piping (25mm To 40mm)
TEMA PVT LTD	PAUT/TOFD(scannertech)	Pressure Vessel (30mm To60mm)
FLEXICON	OXIDE SCALE MEASUREMENT	BALLOWS(.5mm)
DEEPAK FERTILIZER	DPT/MPI	Heat Exchanger,Steam Drum
DEEPAK PHEONOLICS	PAUT/TOFD(technician)	Pressure Vessel(30mm)
HPCL, VISHAKHAPATNAM	HTHA	Reactor(35mm)
SIEMANS MANEJA	UT	Rotor General Area
AANJANEY MICRO	UT	Aluminum Plate (16mm To 20mm)
NRL, ASSAM	PAUT with DMA PROBE(scanner)	Header (25mm)
KRIBHCO SURAT	HTHA	Pressure Vessel (30mm)
MFL, MANGLORE	ARTIS	Reformer Tubes (10mm)
GFL RANJITNAGAR	UT	Pressure Vessel (30mm)
RELIANCE	PAUT with COBRA SCANNER	Boiler Tubes (6mm)
BORL BINA	PAUT/TOFD(scanner)	Critical Piping & Coke Drum
GNFC, BHARUCH	PAUT/UT/MPI/DPT	Pressure Vessel (30mm To60mm)
NAYARA, JAMNAGAR	PAUT	COKE DRUM
NTPC FARAKKA	PAUT	POWER PIPING
CFCL KOTA ,RAJASTHAN	PAUT,HTHA	POWER PIPING
NTPC, MEJA	PAUT	BOILER TUBES 6MM TO 7.5 MM
ADANI POWERKAWAI	PAUT	BOILER TUBES4MM TO 7 MM
ONGC MRPL ,MANGALORE	PAUT	COKE DRUM
ADANI POWER ,Gooda	PAUT	BOILER TUBES 6MM TO 10MM
BASF ,dahej	PAUT,TOFD	REACTOR
GANESH BENZOPLAST	PAUT	CORROSION MAPPING
AARTI , Dahej	PAUT	PIPING

<u>CLIENT NAME</u>	<u>TECHNIC PERFORMED</u>	<u>JYPE OF JOB</u>
SHELL INDIA , Bangalore	PAUT	VESSEL, PIPING
YARA FERTILIZER	UT	REFORMER TUBE
S.D INDUSTRIAL, MUMBAI	UT	FORGING MATERIAL
AARTI , Jhagadia	CORRIOSON MAPPING	VESSEL

I Job Profile – Piping Supervisor (Erection)

Company Name : Brothers Engineering & Erectors Ltd
Address : Saroj mansion, 6th street, Nandhanam, Chennai-600035.
Designation : Piping Supervisor
Period : May 2017 to May 2018

PROJECT HANDLED:

 2x500 MW NLC (THERMAL POWER PLANT)

JOB RESPONSIBILITIES:

- Integral piping, Welding, fitting supervision
- Preparation of Isometric drawing using AutoCAD
- Monitoring and identifying of yard material
- Assisting of QA, Q/C.

EDUCATIONAL QUALIFICATION

- **Diploma: Mechanical Engineering**

TECHNICAL QUALIFICATION:

- **PCN LEVEL –II IN PAUT**
- **PCN LEVEL –II IN UT 3.1&3.2**
- Certification in ASNT PAUT, TOFD LEVEL 2
- Olympus evident certified in HTHA , TFM , FMC , PCI
- MS OFFICE
- Certification in Automobile Engg
- Certification in AutoCAD
- Certification in Master cam, CNC
- Certification in level 2 (DPT, MT, UT)

ADVANCED EQUIPMENT PROFICIENCY :

- PAUT- OLYMPUS MX2 ,X3
- HSMT flex scanner
- Doppler flex scan
- Chain scanner
- Cobra Scanner
- Navic Automatic scanner

- Proscan (AUT)
- GE USM 36
- Modsonic-Einstein DAC & DGS
- OLYMPUS EPOCH 650
- HTHA- High Temperature Hydrogen attack
- ARTIS-Automatic reformer tube inspection system
- HYDROFORM & FLEXO FORM

SOFTWARE PROFICIENCY

- OMNI PC 4.4 & 5.13
- BEAM TOOL
- SETUP BULIDER (OLYMPUS)
- PROSCAN

KNOWLEDGE AND UNDERSTANDING:

- ASME SEC V
- ASME SEC I
- ASME SEC VIII DIV I, II, III
- ASME B31.1, B31.3

PERSONAL INFORMATION:

Date of birth : 28.06.1997
 Gender : Male
 Nationality : Indian.
 Marital Status : Unmarried
 Permanent Address : 399, HIG Mullai Nagar, New Housing unit,
 Thanjavur-613005.
 Passport No : S5233658 Type P
 Languages known : Tamil, English, Hindi & Gujarati

DECLARATION :

I hereby declare that, all the details furnished above are true to the best of my knowledge and understanding

Place:

Date:

(Revinthraj Mohanraj)

PCN EXAMINATION RESULTS NOTICE

REVIEW DATE: 3 May 2024

This results notice is issued by BINDT Authorised Qualifying Bodies and may be verified through the BINDT Certification Records Office Tel: +44 (0) 1604 438300 option 1 (answering machine out of office hours). Email: pcn.enquiries@bindt.org

Authorised Qualifying Body	TRICHY INSTITUTE FOR WELDING
Examination point	TRICHY
Result reference	OF03978
Examiner	JIYAVUDEEN.M
Moderator	NONE
Invigilator	PRABU.V
Candidate's PCN number	353031
Candidate's online ref <u>optional</u>	NA
Candidate's family name	MOHANRAJ
Candidate's given name(s)	REVINTH RAJ
Date of birth (dd/mm/yyyy)	28/06/1997
Gender (optional)	MALE
Candidate has opted-in to BINDT marketing material (Y/N)	YES
Candidate's address	399/HIG, MULLAI NAGAR, NEW HOUSING UNIT, THANJAUR - 613005 TAMILNADU
Sponsor (if not employer) Address	SELF SPONSOR 399/HIG, MULLAI NAGAR, NEW HOUSING UNIT, THANJAUR - 613005 TAMILNADU
Candidate's telephone County code/area code/telephone number (required)	+91-8438244492
Candidates personal email (required)	revinthraj567@gmail.com
Candidate's employer Training organisation	APPLUS VELOSI, OMAN TRICHY INSTITUTE FOR WELDING
Exam date (dd/mm/yy)	10/09/24
Examination type	INITIAL
PCN document reference	PCN GEN-APPENDIX E9
Product or industry sector	WELDMENTS
NDT method	ULTRASONIC TESTING PHASED ARRAY (UTPA)
Level attempted	2
Examination parts & grades	Min Req% Marks% Result Remarks
Specific Theory	70.00 92.50 PASS
Practical Plate	
Sample 1	70.00 87.05 PASS
Sample 2	70.00 96.00 PASS
Sample 3	70.00 86.00 PASS
NDT Written Instruction	70.00 81.66 PASS
Overall grade	91.09%
Overall result (pass/fail)	PASS
Level awarded	2D
Categories awarded	NDT INSTRUCTION WRITING
Retest allowed (if failed)?	NA
Latest date for retest	NA
Issue date of results	14/09/24
Are all eligibility criteria met?	YES
Authorising name & signature	PRABU.V

As Per Candidate Request,
Please send the PCN certificate to the Below Address

Trichy Institute for Welding,
M.S.A Complex, 1st Floor, Rail Nagar,
Ariyamangalam (Post),
Trichy, Tamil Nadu,
India - 620010

PCN EXAMINATION RESULTS NOTICE

IMPLEMENTATION DATE: 12 February 2024

This results notice is issued by BINDT Authorised Qualifying Bodies and may be verified through the BINDT Certification Records Office Tel: +44 (0) 1604 438300 (answering machine out of office hours). Email: pcn@bindt.org

Authorised Qualifying Body	TRICHY INSTITUTE FOR WELDING
Examination point	TRICHY
Result reference	OF03582
Examiner	JYAVUDEEN.M
Moderator	NONE
Invigilator	RAJAKUMAR R
Candidate's PCN number	NEW
Candidate's online ref <u>optional</u>	NA
Candidate's family name	MOHANRAJ
Candidate's given name(s)	REVINTHRAJ
Date of birth (dd/mm/yy)	28/06/97
Gender (optional)	MALE
Candidate has opted-in to BINDT marketing material (Y/N)	YES
Candidate's address	HIG-399, MULLAI NAGAR, NEW HOUSING UNIT, THANJAVUR – 613 005.
Sponsor (if not employer)	SELF SPONSOR
Address	HIG-399, MULLAI NAGAR, NEW HOUSING UNIT, THANJAVUR – 613 005.
Candidate's telephone	+91 8438244492
County code/area code/telephone number (required)	
Candidates <u>personal</u> email (required)	revinthraj567@gmail.com
Candidate's employer	APPLUS VELOSI LLC, OMAN.
Training organisation	TRICHY INSTITUTE FOR WELDING
Exam date (dd/mm/yy)	12/03/24 & 13/03/24
Examination type	INITIAL
PCN document reference	PCN GEN – APPENDIX C1 ISSUE 9
Product or industry sector	WELDMENTS
NDT method	ULTRASONIC TESTING
Level attempted	2
Examination parts & grades	Min Req% Marks% Result Remarks
General Theory	70.00 87.50 PASS
Specific Theory	70.00 86.66 PASS
Practical 3.1.2 Plate Sample 1	70.00 90.42 PASS
Practical 3.1.3/4 Plate Sample 2	70.00 85.00 PASS
Practical 3.2.1 Pipe Sample 3	70.00 95.00 PASS
Practical 3.2.5 Pipe Sample 4	70.00 84.00 PASS
Practical 3.2.7 Pipe Sample 5	70.00 85.00 PASS
NDT Written Instruction	70.00 90.00 PASS
Parent Metal Plate Sample	----- PASS
Overall grade	3.1=87.29%, 3.2=87.38%
Overall result (pass/fail)	PASS
Level awarded	2D
Categories awarded	3.1,3.2,PLATE& NDT INSTRUCTION WRITING
Retest allowed (if failed)?	NA
Latest date for retest	NA
Issue date of results	18/03/24
Are all eligibility criteria met?	YES
Authorising name & signature	PRABU.V

As Per Candidate Request,
Please send the PCN certificate to the Below
Address

Trichy Institute for Welding,
M.S.A Complex, 1st Floor, Rail Nagar,
Ariyamangalam (Post),
Trichy, Tamil Nadu,
India - 620010



PCN Result Notice issue 22dated 1st July 2019. This results notice is not a certificate of competence and should neither be tendered nor accepted as such. A record of certification is issued by the BINDT Certification Records Office within 14 days of the date of issue of this notice providing all examination and certification fees have been paid and the certification shall be valid from the date this notification is received by BINDT Certification Records Office not before.

NDT CERTIFICATE

AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING

RECOMMENDED PRACTICE: SNT - TC - 1A/ 2016

Certificate issued to REVINTHRAJ .M

Has complied with the certification requirement and demonstrated his ability Successfully in both written and Practical examination in accordance with THAMIZH NDT CONSULTANCY Written Practice No. TNDT-WP-002-Rev. 01

Personal Details:

Method : PHASED ARRAY ULTRASONIC TESTING
Level : II
Qualification : D.M.E
Training Hours : 100 Hours
Certificate No : TNDT-PAUT-211505

Examination Results: -

Type of Examination	Marks Obtained %
Specific Examination	86.50
Practical Examination	82.00
Composite	84.25%



Physical Examination:

Near Vision	corrected
Color Vision	Satisfactory

Date of certification: **15/05/2021**

Valid Up to: **14/05/2026**

This certificate is issued to enable the employer to certify the individual as per their written practice framed to the requirements of SNT-TC-1A/2016. This certificate ceases to be valid on termination of employment.



COURSE COORDINATOR

Handwritten signature of Harihara Subramani B.E.

HARIHARA SUBRAMANI B.E.,
ASNT LEVEL III
CERT NO: 230800

EXAMINER

NDT CERTIFICATE

AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING

RECOMMENDED PRACTICE: SNT - TC - 1A/ 2016

Certificate issued to REVINTHRAJ .M

Has complied with the certification requirement and demonstrated his ability Successfully in both written and Practical examination in accordance with THAMIZH NDT CONSULTANCY Written Practice No. TNDT-WP-002-Rev. 01

Personal Details:

Method : TIME OF FLIGHT DIFFRACTION
Level : II
Qualification : D.M.E
Training Hours : 60 Hours
Certificate No : TNDT-TOFD-211505

Examination Results: -

Type of Examination	Marks Obtained %
Specific Examination	87.50
Practical Examination	84.00
Composite	85.75%



Physical Examination:

Near Vision	corrected
Color Vision	Satisfactory

Date of certification: **15/05/2021**

Valid Up to: **14/05/2026**

This certificate is issued to enable the employer to certify the individual as per their written practice framed to the requirements of SNT-TC-1A/2016. This certificate ceases to be valid on termination of employment.



COURSE COORDINATOR

Handwritten signature

HARIHARA SUBRAMANI B.E.,
ASNT LEVEL III
CERT NO: 230800

EXAMINER

NDT CERTIFICATE

AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING

RECOMMENDED PRACTICE: SNT - TC - 1A/ 2016

Certificate issued to REVINTHRAJ .M

Has complied with the certification requirement and demonstrated his ability Successfully in both written and Practical examination in accordance with THAMIZH NDT CONSULTANCY Written Practice No. TNDT-WP-002-Rev. 01

Personal Details:

Method : ULTRASONIC TESTING
Level : II
Qualification : D M E
Training Hours : 80 Hours
Certificate No : TNDT-UT-20014

Examination Results: -

Type of Examination	Marks Obtained %
General Examination	86.58
Specific Examination	81.42
Practical Examination	88.00
Composite	85.33%



Physical Examination:

Near Vision	J1 (Un-Corrected)
Color Vision	Satisfactory

Date of certification: **15/04/2021**

Valid Up to: **14/04/2026**

This certificate is issued to enable the employer to certify the individual as per their written practice framed to the requirements of SNT-TC-1A/2016. This certificate ceases to be valid on termination of employment.



COURSE COORDINATOR



HARIHARA SUBRAMANI B.E.,
ASNT LEVEL III
CERT NO: 230800

EXAMINER

NDT CERTIFICATE

AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING

RECOMMENDED PRACTICE: SNT - TC - 1A/ 2016

Certificate issued to REVINTHRAJ. M

Has complied with the certification requirement and demonstrated his ability Successfully in both written and Practical examination in accordance with THAMIZH NDT CONSULTANCY Written Practice No. TNDT-WP-002-Rev. 01

Personal Details:

Method : LIQUID PENETRANT TESTING
Level : II
Qualification : D M E
Training Hours : 12 Hours
Certificate No : TNDT-PT-20014

Examination Results: -

Type of Examination	Marks Obtained %
General Examination	83.00
Specific Examination	92.61
Practical Examination	86.00
Composite	87.20%



Physical Examination:

Near Vision	J1 (Corrected)
Color Vision	Satisfactory

Date of certification: **15/04/2021**

Valid Up to: **14/04/2026**

This certificate is issued to enable the employer to certify the individual as per their written practice framed to the requirements of SNT-TC-1A/2016. This certificate ceases to be valid on termination of employment.



COURSE COORDINATOR

Handwritten signature

HARIHARA SUBRAMANI B.E.
ASNT LEVEL III
CERT NO: 230800

EXAMINER

NDT CERTIFICATE

AMERICAN SOCIETY FOR NON DESTRUCTIVE TESTING

RECOMMENDED PRACTICE: SNT - TC - 1A/ 2016

Certificate issued to REVINTHRAJ. M

Has complied with the certification requirement and demonstrated his ability Successfully in both written and Practical examination in accordance with THAMIZH NDT CONSULTANCY Written Practice No. TNDT-WP-002-Rev. 01

Personal Details:

Method : MAGNETIC PARTICLE TESTING
Level : II
Qualification : D M E
Training Hours : 20 Hours
Certificate No : TNDT-MT-20014

Examination Results: -

Type of Examination	Marks Obtained %
General Examination	91.34
Specific Examination	85.60
Practical Examination	83.00
Composite	86.64%



Physical Examination:

Near Vision	J1 (Corrected)
Color Vision	Satisfactory

Date of certification: **15/04/2021**

Valid Up to: **14/04/2026**

This certificate is issued to enable the employer to certify the individual as per their written practice framed to the requirements of SNT-TC-1A/2016. This certificate ceases to be valid on termination of employment.



COURSE COORDINATOR

42

HARIHARA SUBRAMANI B.E.
ASNT LEVEL III
CERT NO: 230800

EXAMINER



TCR Advanced Engineering Pvt. Ltd



NDT LEVEL II CERTIFICATE

THIS IS TO CERTIFY THAT Mr. Revinthraj Mohanraj HAS BEEN EXAMINED IN TECHNIQUE **PHASED ARRAY ULTRASONIC TESTING LEVEL – II (Limited)** IN ACCORDANCE WITH TCR DOCUMENT BASED ON ASNT-SNT TC-1A (2016 EDITION) HELD ON **FEBRUARY 2021** FOR **80** HOURS.


Limited Certification – Equipment Operation and Data Acquisition - PAUT (OLYMPUS MX-2 & DOPPLER FLEXSCAN)

TCR REFERENCE DOCUMENT : TCRADV-SNT TC-1A REV.03 THE RESULT OF EXAMINATION IS AS UNDER,

	ACTUAL	PASSING		
GENERAL	: <u>NA</u>	<u>NA</u>	CERTIFICATE NO	: <u>TCRADV/021/01</u>
SPECIFIC	: <u>NA</u>	<u>NA</u>	DATE OF ISSUE	: <u>15-MAR-2019</u>
PRACTICAL	: <u>90.0 %</u>	<u>80%</u>	DATE OF EXPIRY	: <u>14-FEB-2026</u>
TOTAL	: <u>90.0 %</u>	<u>80%</u>	DATE OF REISSUE	: _____
			DATE OF EXPIRY	: _____




250-252/9, GIDC MAKARPURA, VADODARA

Name: MR. Revinthraj Mohanraj			Certificate Number: <u>TCRADV/021/01</u>				
Technique: Phased Array Ultrasonic Testing (limited)			Education Qualification: Diploma In Mechanical Engineering				
Experience							
Employer		Methods		Date		Months	
M/s. BHEL		UT, MPT, PT		MAY 2017 to MAY 2018		12 Months	
M/s. TCR Advanced Engineering Pvt. Ltd.		UT, MPT, PT, PAUT, ToFD		AUG 2020 to till now		08 Months	
Qualification Examination Results							
Software/ Hardware Training			Results		Administrated By		
NA			NA		NA		
Vision Examination			Renewal				
			INITIAL	1 st Year	2 nd Year	3 rd Year	4 th Year
COLOR VISION	No Abnormality	EXAMINER					
NEAR VISION	J1	DATE	MAR 2021	MAR 2022	MAR 2023	MAR 2024	MAR 2025



250-252/9, GIDC MAKARPURA, VADODARA



GPS IN THE NEW MILLENNIUM

GULF PETROCHEMICAL SERVICES & TRADING L.L.C
BLOCK-61, SULTANATE OF OMAN

BP EMERGENCY CONTACT
2212 2222

bp

SECONDARY No's	25415555/96180645/91700638
CM	98296505
HSEM	94001063
CAMP BOSS	92882567
MEDICS	95476358/94001817/96141811 99259380

OQ Block 60 HSSE INDUCTION CARD
02882

Name: **REVINTHRAJ**

Tick one: ☐ OQ US & EP ☒ Contractor ☐ Sub-Contractor

Company: **APPlus Velosi**

Position: **NDT Inspector** Date of Issue: **16-05-24**

HSSE INDUCTION is required every 2 years for personnel working in Block 60 or if a person has not visited Block 60 for over 6 months

Inducted by: **Hossein** Stamp & Signature: **[Signature]**

OQ8

ريفانتراج موهن
REVINTHRAJ MOHAN

CONTRACTOR

FORM NO. 36 (SEE RULE 110)

Contractor's Name: **TCR ADVANCED ENGINEERING PVT LT**

ID Card

Name of the Factory: **AIL Unit 2 Division**

Name: **Revinthraj**

DOB: **28/06/1996**

DOJ/Card Issue: **12/02/2022**

Valid upto: **10/03/2022**

Emp. Code: **TCRE000037**

Blood Group: **B+**

Address: **GIDC Road, Hosing Board Society, Vadodara**

Barcode: **1010037**

OQ

REVINTHRAJ MOHANRAJ
ريفانتراج موهن راج

Emp No / الرقم الوظيفي: **128605767**

Civil No / الرقم المدني: **128605767**

Blood Type / فصيلة الدم: **B+**

Expier Date / تاريخ الإنتهاء: **17/4/2023**

> oq.com

TR» ADVANCED

Avdhoot Industrial Management Services C/o
TCR ADVANCED ENGINEERING PVT. LTD.
250-252/9, GIDC Estate, Makarpura,
Vadodara – 390010, Gujarat, India

Revinthraj Mohan
Designation: **NDT Engineer**
UAN : **101435166673**
ESIC : **3811328013**

CONTRACTOR SECURITY PASS

Validity: **02/11/2024**

QID / Visa No: **382024403570**

Nationality: **INDIAN**

Staff No: **REVINTHRAJ MOHANRAJ**

Name: **Revinthraj Mohanraj**

النصيرج الامني CCED SECURITY PASS

Civil Number: **128605767**

Name: **REVINTHRAJ MOHANRA.**

Company: **VELOSI LLC**

Project: **52071**

Contractor: **52442**

الجمعية العمالية للطاقة Omon Energy Association

Unified HSE Passport

Name: **REVINTHRAJ MOHANRAJ**

Verification no.: **LCb45f44c**

Issue Date: **25-03-2024**

ID Number: **128605767**

OPAL 111868

BROTHERS ENGINEERING AND ERECTORS LIMITED



An ISO 9001 : 2015 CERTIFIED COMPANY

17/6, Saroj Mansion, 6th Street, Nandanam Extn., Nandanam, Chennai - 600 035.

Phone: 044-24359390 / 044-24363345 / Fax : 24358882

E-mail: beel@beel.in web: www.beel.in

CIN : U45204TN1999LC041770 / GST : 33AABC6161F1Z3

2020


TO WHOM SO EVER IT MAY CONCERN

This is to certify that Mr. **REVINTH RAJ** s/o of Mr. **MOHAN RAJ** has working with us as " **Piping Supervisor** " at our 2X500 MW Neyveli New Thermal Power Project from 2nd May 2017 to 17th May 2018.

During this period we have observed Him as professional and discharged his work of his position very efficiently and conscientiously. His character and conduct during this period has been exemplary.

Your Sincerely,
For Brothers Engineering and Erectors Limited

Authorized Signatory



Date: - 18/05/2018

Place: -Neyveli

Admin Office : 3-45, Ibrahimpatinam, Vijayawada - 521 436, Andhra Pradesh

Ph : 866 - 2883579, Fax: 866 - 2882379

E-mail : beelvijayawara@beel.in Website : www.beel.in



REGISTER NO. : 15249550

SERIAL NO. AC 089423

GOVERNMENT OF TAMIL NADU
STATE BOARD OF TECHNICAL EDUCATION AND TRAINING
DEPARTMENT OF TECHNICAL EDUCATION, CHENNAI - 600 025.

PROVISIONAL CERTIFICATE

This is to certify that

REVINTHRAJ M

having passed in FIRST CLASS

in the final Examination held in APRIL 2017

is provisionally qualified for the award of Diploma in

MECHANICAL ENGINEERING

Inst 227
MOHAMED SATHAK POLYTECHNIC COLLEGE
CHAIRMAN SATHAK SALAI POST, KILAKARAI
623 806

12-JUN-2017


Chairman
Board of Examinations
Tamil Nadu